




The State of New Hampshire
Department of Environmental Services



Michael P. Nolin
Commissioner

**LETTER OF DEFICIENCY
WET 06-056**

June 13, 2006

David Belanger and Monime Stanclift
PO Box 384
903 Gulf Road
Chesterfield NH 03466

RE: DES Wetlands File #2006-01240 903 Gulf Rd, Chesterfield

Dear Mr. Belanger and Ms. Stanclift:

On May 31, 2006, personnel from the Department of Environmental Services ("DES") conducted an inspection of the above referenced property, more specifically referenced on Town of Chesterfield Tax Map 14C as Lot C007 (the "Property"). The purpose of the inspection was to determine compliance with RSA 482-A and NH Code of Admin. Rules Wt 100-800.

During the inspection the following deficiencies were documented:

1. Approximately 100 linear feet of stream bank has been rip-rapped.

In response, you are requested to take the following actions:

1. **Within 45 days** of the date of this Letter of Deficiency, submit a restoration plan to DES for review and approval. Have the restoration plan prepared by a certified wetland scientist or certified engineer with training in bank stabilization, and include provisions for removing the unpermitted rock and stabilizing the stream bank with bank stabilizing vegetation on the Property. Submit the following with the restoration plan:
 - a. A plan with dimensions, drawn to scale, showing:
 1. Existing conditions, with top and toe of slope and bank full elevation; and
 2. Proposed conditions after reestablishing the jurisdictional areas;
 - b. A detailed description of the proposed means of erosion control (silt fence, hay bales, etc) and biostabilization methods to be implemented;
 - c. A detailed description of the proposed planting plan for the stabilization and revegetation of the bank utilizing native bank stabilizing shrub species;
 - d. A description of the proposed construction sequence and methods for accomplishing restoration and anticipated restoration compliance date; and
 - e. A description of the method of documenting at least 75% survival of all vegetation planted during the restoration project. This should include at a minimum monitoring progress reports for two successive growing seasons following completion of the restoration project;

2. Retain a qualified wetland scientist to supervise the implementation of the restoration plan and to submit the restoration progress reports.

3. Implement the restoration plan only after receiving written approval and as conditioned by DES.

RSA 482-A, the New Hampshire Wetlands law, was enacted to protect and preserve wetlands and surface waters from unregulated despoliation. Prior to dredging, filling, or construction in and adjacent to wetlands or surface waters, an individual is required to obtain a permit. If work is done without a permit, this is considered a violation of RSA 482-A. Failure to respond to this Letter of Deficiency in a timely and complete manner may be construed as noncompliance by the receiving party.

DES personnel may conduct another inspection at a later date to determine whether you have come into and are maintaining full compliance with the applicable statute and rules.


Issuance of this letter shall not preclude further enforcement by DES. Failure to comply with RSA 482-A will result in enforcement by DES, including but not limited to the issuance of fines, administrative orders, or referral to the New Hampshire Office of the Attorney General for prosecution of civil or criminal penalties. If an order is issued to you, it may also be recorded with the Registry of Deeds as an encumbrance against your property.

All documents submitted in response to this Letter of Deficiency should be addressed as follows:

Dawn Buker, Compliance Specialist
Wetlands Bureau
Department of Environmental Services
29 Hazen Drive
PO Box 95
Concord, NH 03302-0095

Should you have any questions regarding this letter, or wish to arrange a meeting, please contact Dawn Buker at (603) 271-4066.

Sincerely,



Collis G. Adams, CWS
Administrator
Wetlands Bureau

CERTIFIED MAIL 7000 1670 0000 0585 5147

cc: Rene Pelletier, Asst. Director, Water Division
Gretchen R. Hamel, Administrator, DES Legal Unit
Chesterfield Conservation Commission
Chesterfield Board of Selectmen
USACOE